

1/4

FIG. 1





FIG. 2



3/4

FIG. 3







FIG. 4



	THICKNESS OF LOWER LAYER d_1 [nm]	THICKNESS OF UPPER LAYER d_2 [nm]	TOTAL THICKNESS OF MAGNETIC LAYER $d_1 + d_2$ [nm]	d_2/d_1	DIFFERENCE IN SIGNAL OUTPUT AT RECORDING/ REPRODUCING BETWEEN FORWARD AND REVERSE DIRECTIONS [dB]		COERCIVITY H_c [kA/m]
					WAVE LENGTH 2.0 μm	WAVE LENGTH 0.3 μm	
Ex. 1	50	25	75	0.50	1.2	0.6	125
Ex. 2	57	40	97	0.70	0.5	0.1	135
Ex. 3	28	15	43	0.54	0.8	0.2	105
Ex. 4	32	31	63	0.97	0.2	1.3	120
Ex. 5	45	23	68	0.51	1.0	0.3	122
Comp. Ex. 1	64	39	103	0.61	Not Measurable		140
Comp. Ex. 2	24	14	38	0.58	0.7	0.1	98
Comp. Ex. 3	31	33	64	1.06	0.2	1.5	118
Comp. Ex. 4	56	27	83	0.48	1.5	0.3	130
Comp. Ex. 5	48	57	105	1.19	Not Measurable		137

FIG. 5